

# Recommended grass and clover varieties 2019-2020

National Advice Hub  
T: 0300 323 0161  
E: [advice@fas.scot](mailto:advice@fas.scot)  
W: [www.fas.scot](http://www.fas.scot)

## Summary

- The varieties listed overleaf are recommended for use in Scotland
- First choice varieties are highlighted by capitals
- Recently introduced first choice varieties are provisional ratings, pending further trials currently in progress

## Introduction

The agricultural industry in Scotland is co-operating in a scheme to ensure the continuation of the SRUC Recommended List of grass and clover varieties. The scheme, with the support of NFUS, AIC, SSTA and BSPB, involves a contribution for every kilogram of herbage seed sold.

Merchants participating in the scheme have exclusive access to the detailed SRUC information on herbage varieties. Participating merchants display the special SRUC logo opposite on seed bags, and promotional literature.

Within each grass species, varieties are listed in order of heading date, i.e. 50% ear emergence. This is the date when ears are seen on 50% of the fertile stems. These dates, relative to 1st May, give the Relative Ear Emergence (REE). Thus, in an average year, the early perennial ryegrass variety AberTorch (T) (REE 20) heads on the 20th May, while the late variety Foxtrot (REE 49) heads on 18th June, almost four weeks later. The actual heading dates vary according to season and altitude but the relative order of heading remains fairly constant. Perennial ryegrass varieties have the widest range of heading dates and are divided into three maturity groups - early, intermediate and late. The range within each group can be 12 days or more. Timothy varieties similarly are in three groups, cocksfoot has two groups, early and late, while Italian and hybrid ryegrasses are now each considered as one group. Within each species there is a close relationship between heading date and important characteristics such as seasonality of growth, herbage quality and persistency. The REE value is shown for the earliest and latest variety within each blocked grouping.

White clovers are listed in order of leaf size. The small leaved are prostrate types, persistent and suited to continuous grazing, while large leaved are more erect and better suited to cutting



or rotational grazing. The leaf size, relative to Grasslands Huia, is shown for the smallest and largest within each group. Red clovers are listed alphabetically within two flowering groups, early and late.

Tetraploid varieties are indicated by (T) after the name.

For more detailed information on variety attributes and performance, and their use in seed mixtures, contact your local SAC Consulting adviser or grassland specialist, or a participating merchant.



Perennial Ryegrass	Early
<i>REE up to 30</i>	<i>REE</i>
ANACONDA (T)	18
ABERTORCH (T)	20
GENESIS	
MOYOLA	25
KILREA	28
CARRAIG (T)	28
Kilian	
Cooky (T)	
Glasker	31

Perennial Ryegrass	Inter
<i>REE from 31-45</i>	<i>REE</i>
MALONE (T)	31
SPELGA	
SOLOMON	
FINTONA (T)	32
BOYNE	
SEAGOE (T)	
RAMORE(T)	
GALGORM (new)	
ABERCLYDE (T)	
ASTONCONQUEROR	
NIFTY	
MOIRA	
ABERDART	
Arioso (T)	
BREE	38
GLENARIFF	
Arsenal	
Fennema	
ABERWOLF	
ABERZEUS	
Arelia	
Indra	
RODRIGO	
PREMIUM	
ABERMAGIC	42
Calvano I	
COPELAND	
GOSFORD	
CARLAND (T)	
DIWAN (T)	
ELYRIA	
AGASKA	
ASTONLORD	
ABERGREEN	
DUNLUCE (T)	
ABERSPEY	
CALEDON (T)	
Orion (T)	
GUSTO (new)	
PENSEL (T)	44

Perennial Ryegrass	Late
<i>REE over 45</i>	<i>REE</i>
Kendal	
BALLINTOY (T)	46
BIJOU (T)	
Charisma (T)	
CALLAN	
Delphin (T)	
DRIFT (T)	
ALFONSO (T)	
DUNDROD (new)	
MEIDUNO (T)	
Weldone (T)	
ABERAVON	
TYRELLA	
AstonKing	
Oakpark	
HURRICANE(T)	
Dundrum (T)	
KILLYLEA (new)	
BAREXTEND	
TODDINGTON	49
Novello (T)	
ASPECT (T)	
NASHOTA (T)	
NAVAN (T)	
Romark	
CLANRYE	
Polim (T)	
MEZQUITA	
GLENROYAL	
DRUMBO	
ABERBITE (T)	
THEGN (T)	
TWYMAX (T)	
ABERBANN	
Aston Princess (T)	
Bocage (T)	
ASTONCHIEFTAIN	52
KINTYRE (T)	
Xenon (T)	
Fornido (T)	
ABERPLENTIFUL (T)	
Cabriolet (T)	
DUNLOY (T)	
SMILE	
Solas (T)	
Ideal (T)	
ABERCHOICE	55
ABERLEE	
Evocative	
Cancan	
Dromore	
Twystar	60
BOWIE	62

Italian Ryegrass	
Fabio (T)	28
DORIKE (T)	
Virgyl (T)	
Barmega (T)	30
Inducer	
Barmultra II (T)	
GEMINI (T)	
Hunter	
YACHT (T)	
Bartissimo	
Salome (T)	
MERIBEL	
Gizi (T)	
Fox	
Muriello	
Ligrande	
Itaka	
BARIMAX (T)	
ALAMO	
MESSINA (T)	
Danergo (T)	
Lemtal RvP	35
MELPRIMO	
DAVINCI	
JAVORIO	
BELLUNA	
DOLORES	36
Barelli	

Hybrid Ryegrass	
ABERECHO (T)	27
Lampard (T)	
Solid (T)	
Enduro (T)	
Drumlin (T)	
ASTONCRUSADER (T)	
HYMER (T)	
PIROL	
ABEREDGE (T)	
ABEREVE (T)	34
Tirna (T)	
Scapino (T)	
BARCLAMP	39

Timothy	Early
<i>REE up to 55</i>	<i>REE</i>
Odenwalder	45
SCOTS	51
Presto	
DOLINA	
COMER	
PROMESSE	
ERECTA RvP	
COMTAL	55
REE 56-61	Inter
Moverdi	57
Motim	
REE over 61	Late
-	

Cocksfoot	Early
<i>REE up to 28</i>	<i>REE</i>
Dactus	24
ABERTOP	28
<b>REE over 28</b>	<b>Late</b>
SPARTA	29
PRAIRIAL	
Cambria	
LIDACTA	31

Festulolium	
AberNiche	37

White Clover	
	Small
Aberace	41
Galway	
ABER S184	70
GRASSLANDS DEMAND	
ABERPEARL	
Avalon	
RIVENDEL	82
	Medium
Saracen	
CRUSADER	85
ABERHERALD	
GRASSLANDS BOUNTY	
IONA	
Grasslands Tribute	
Coolfin	
ABERDAI	
ABERSWAN	
Grasslands Huia	
ABERVANTAGE	
BUDDY	
VIOLIN	
MENNA	
MERWI	104
	Large
KATY	
MAKURI	
Reisling	
ALICE	
BARBLANCA	
DUBLIN	
Klondike	
ARAN	159
BRIANNA	191

Red Clover	
	Early
AberChianti	
AberClaret	
Fearga (new)	
Merula	
Milvus	
Amos (T)	
Magellan (T)	
Diplomat	
Global	
Lemmon	
Merviot	
Atlantis (T)	
Avisto	
Harmonie	
Hegemon	
Metis	
Sinope	
	Late
Atlaswede	
Britta	

**Authors:**

**D Lawson,**

Grassland Specialist  
SRUC

Sandpiper House  
Ruthvenfield Road  
Inveralmond Ind. Estate  
Perth

PH1 3EE

01738 636611

email: david.lawson@sruc.ac.uk

**L J Baker**

SRUC

JF Niven Building

Auchincruive

Ayr

KA6 5HW

**G Carr**

SRUC

Ferguson Building

Craibstone Estate

Aberdeen

AB21 9YA

**A Drysdale**

SRUC

2 Technopole Centre

Bush Estate

Penicuik

EH26 0PH